


T H E R M O M E T R I C S
A C O M M I T M E N T T O E X C E L L E N C E

PTC Thermistors: Type PTE

Over-temperature Protection

Description

PTC disc thermistor on tab for temperature sensing.



Features

- Low cost thermistor disc on tab for limit temperature monitoring
- Metal tab for easy mounting
- Molded epoxy housing for added ruggedness and reliability
- Well defined resistance and curve ease circuit design
- Available in a broad range of transition temperatures
- Exhibits large positive increases in resistance with temperature
- Metal tab allows for good thermal coupling and fast response times
- Resistance/temperature characteristic is infinitely repeatable and has no hysteresis associated with its action
- Available tape and reel to EIA RS-468A

Amphenol
Advanced Sensors

Type Number	Transition Temperature (°C)	Accuracy Temperature (°C ±5°C)
RL2006-100-30-30-PTE	30	45
RL2006-100-40-30-PTE	40	55
RL2006-100-50-30-PTE	50	65
RL2006-100-60-30-PTE	60	75
RL2006-100-70-30-PTE	70	85
RL2006-100-80-30-PTE	80	95
RL2006-100-90-30-PTE	90	105
RL2006100-100-30-PTE	100	115
RL2006-100-110-30-PTE	110	125
RL2006-100-120-30-PTE	120	135

Options

- Reel-taped, replace “PTE” suffix with “PER”
- Other resistances
- Other tolerances, other transition temperatures
- Other voltage ratings

Data

Resistance @ 25°C

150Ω max.

Resistance at accuracy temperature (±5°C)

1000Ω

Max voltage

30V

Time Constant

20 sec.

Amphenol
Advanced Sensors

www.amphenol-sensors.com

© 2014 Amphenol Corporation. All Rights Reserved. Specifications are subject to change without notice.
Other company names and product names used in this document are the registered trademarks or trademarks of their respective owners.

AAS-920-456A-04/2014