Amphenol Sensors

Connecting your world through Sensor Innovations

Automotive Solutions

Amphenol Sensors is a leading innovator in sensor technologies and measurement solutions. Offering the most diverse sensor portfolio of standard and customized products for the world's most demanding regulatory and industry-driven applications, Amphenol creates value by providing critical information for real-time decisions.

Amphenol Sensors is your best source for automotive sensors, offering the technology that brings your systems together—to protect the vehicle, its occupants and the environment.

Consider us your global partner for all of your automotive sensor needs. We deliver innovative solutions and high-performing products with the finest customer support—bringing the best results to you and your customers.



Amphenol Sensors

Automotive Sensor Solutions

Temperature Pressure Gas Humidity Dust/Particulates Position/Speed CurrentLevelCombinationAcousticsAcceleration **Cabin Comfort Safety Systems**

Fuel Handling System

- Fuel
- Fuel Rail
- Fuel Vapor
- Fuel Tank
- Exhaust Gas
- EVAP

- Discharge Air
- Steering Wheel
- Fresh Air Ventilation
- Dewpoint
- Cabin Air Filter
- Particulate Detection
- Capacitive Touch Controls
- Mirror Memory
- Cabin Noise
- NVH
- Rear Spoiler

- Steering Wheel
- Seats
- Defog
- Battery
- Leak Detection
- Driver Alertness
- Brakes
- Airbags
- Seatbelts
- Headlamp
- Occupant Detection
- Washer Fluid
- Crash Testing

Enabling ADAS/ Autonomous Driving

- • Sensor Cleaning Fluid
- ADAS Temperature Compensation
- Wheel Angle
- Steering Angle
- Braking System Speed

HVAC

- Outside Air
- ••• Refrigerant/Coolant
- Evaporator
- Air Quality
- Particulate Detection
- HVAC Actuator

After-Treatment

- Diesel Particulate Filter (DPF)
- Gasoline Particulate Filter (GPF)

Vehicle Electrification

- Battery Pack
- ••• Thermal Runaway
- Cell Connection System (CCS)
- High Voltage Charger Connector
- Power Inverter / E-Motor
- ••• Battery Coolant
- Motor Coil
- •••• Fuel Cell

Powertrain

- ••• Transmission Fluid, Oil
- Transmission Gearbox, Park Lock, Speed
- Power Steering
- EURO-6 Urea
- Powertrain Development

Internal Combustion Engine Management

- Engine Air
- Engine Oil
- Coolant
- Intake Air
- Exhaust Gas Recirculation (EGR)
- Cylinder Head
- MAP/TMAP
- De-ionized Water Injection

INTERNAL COMBUSTION ENGINE, POWERTRAIN, AND ELECTRIC VEHICLE

Temperature Sensors

- High accuracy High stability
- Noise-immune NTC option
- Fast response time
- · Combination sensor options
- Customized to application
- Metallurgical bond glass-coated NTC option

Pressure Sensors

- High accuracy
- High performance
- Long-term stability
- Custom options

Level, Concentration & Conductivity Sensors

- High accuracy
- · Detects proper fluid fill and contaminants
- Customizable options

Position Sensors

PIHER sensing

(i2s

TELAIRE

THERMOMETRICS

PIHER sensing

THERMOMETRICS

N V

EXATHERMOMETRICS

THERMOMETRICS

EXATHERMOMETRICS

Nov (i2s

- Non-contact inductive and hall-effect technologies
- · Accurate output at high speeds
- Reliable in harsh environments

Combined Pressure & Temperature Sensors

- High accuracy Oil resistant
- Wide temperature range: -40°C to 150°C
- Robust against pressure spikes

Accelerometers

• Wide frequency ranges available

PIEZOTRONICS • Single and triaxial configurations

- · Robust design for demanding environments
- Various mounting methods
- Electrically isolated
- · High sensitivity and low noise

Gas Detection Sensors

• Sensitivity to multiple gases: H₂/CO₂/NH₃/CO SGX

- Temperature / Humidity Sensor
- Pressure sensor (20 up to 250 kPa)
- Fast response time: <1 second
- IP6K7 rating

Cell Connection System (CCS)

• High current circuit for battery cell connectivity

· Available styles: Wire Harness and Flexible Printed Circuit (FPC)

Current Sensor

- Hall effect, Open loop current sensor
- Busbar mounting, 1 phase and 3 phase housing
- Analog ratiometric output

AFTER-TREATMENT

Temperature Sensors

- High accuracy High stability
- Integral/pigtail options
- Fast response time Right angle and straight probe options

DEF Level, Temperature & Concentration Sensors

- High Accuracy
- Continuous monitoring
- Meets highest worldwide emissions regulations
- Programmable for custom and irregular shape tanks

Pressure Sensors

- High reliability
- High accuracy
- Up/downstream pressure Customizable design
- · Compatible w/ exhaust gas media and acid condensates

SAFETY SYSTEMS

Temperature Sensors

- Fast response time High accuracy
- High stability
- Proven reliability
- Deep domain expertise
- Duplicate manufacturing locations

Pressure Sensors

- Fast response time High accuracy
- Long-term stability
- Custom options
- Diagnostic and protective features (ASIL)

CO₂ Gas Sensors

- Self-calibration
- Low power consumption
- Compact design
- LIN bus communication
- Custom packaging options

Position Sensors

- Robust and reliable modular design
- Selectable working principle: potentiometric, hall effect, and reed switch

Level, Quality, and Concentration Sensors

- High accuracy
- Continuous monitoring for fluid contamination
- Programmable for irregular shape tanks
- Customizable options

Accelerometers

- Wide frequency ranges available
- · Single and triaxial configurations
- Robust design for demanding environments
- Various mounting methods
- · Electrically isolated
- High sensitivity and low noise

Position and Level Sensors

- Temposonics Absolute, non-contact measurement
- Highest reliability
- Robust and compact design for harsh environments

ENABLING ADAS AND AUTONOMOUS DRIVING

■ Level, Concentration and Alcohol Content Sensors High accuracy

- Continuous monitoring
- Freeze prediction

Temperature Sensors High accuracy

- High stability
- Customized to application

Position/Speed Sensors

- High accuracy
- Customizable design
- Curable and robust package

FUEL HANDLING SYSTEM

Temperature Sensors

- High accuracy High stability
- Integral/pigtail options
- Combination sensor options

Pressure Sensors

- High accuracy High performance
- Long-term stability
- Custom options

Position and Level Sensors

- Absolute, non-contact measurement
- Highest reliability
- Robust and compact design for harsh environments

CABIN COMFORT

Temperature Sensors

THERMOMETRICS

N□V/ (i2s

PIEZOTRONICS

TELAIRE

PIHER sensing

ENDEVCO

THERMOMETRICS

PIHER sensing

THERMOMETRICS

(i2s

EXATHERMOMETRICS

Temposonics

N■V/

PCB

- High accuracy High stability
- Noise-immune NTC option
- Moisture resistant
- Fast response time

Pressure Sensors

- High performance
- High accuracy
- Customizable design • Multiple output options

Gas Detection Sensors

- Detectable gases: CO2, CO, NO2, NH3
- PWM and LIN bus
- · Custom packaging options

Dew Point Sensors

- Combined temperature and humidity
- measurement PWM and LIN bus
- Custom package options

Dust Particulate Sensors

- PM2.5
- Laser detection • Fast response
- High accuracy

Position Sensors

- Low profile
- Excellent resolution
- · Custom form-factor ready
- Linear and rotary position feedback

Acoustic Sensors

- Specialized microphones for a wide variety of applications
- High temperature, water and dust-resistant models available
- · High accuracy

Accelerometers

- Wide frequency ranges available
- Single and triaxial configurations
- Robust design for demanding environments • Various mounting methods
- Electrically isolated
- High sensitivity and low noise

Position Level Sensors

- Absolute, non-contact measurement
- Highest reliability
- Robust and compact design for harsh environments

HVAC

Temperature Sensors

- High accuracy High stability Noise-immune NTC option
- Moisture resistant
- Fast response time

Position Sensors

- Long life Low hysteresis
- Excellent resolution and linearity Field-proven • Custom connectors and wires

Pressure Sensors

- Leakproof High accuracy
- Harsh Media compatibility

Gas Detection Sensors

- Detectable gases: CO2, CO, NO2, NH3
- PWM and LIN bus
- Custom packaging options Dust Particulate Sensors
- PM2.5
- Laser detection • Fast response High accuracy

Combined Pressure & Temperature Sensors

- Leakproof
- · High accuracy
- Wide pressure range: 10 bar to 200 bar
- Diagnostic and protective features (ASIL)





















































			S	ens	or 1	Tech	nol	ogi	es							
MAJOR MARKETS SERVED	Thermometrics, Inc. Temperature	Telaire Gas & Moisture	NovaSensor Pressure	Protimeter Moisture Meters	Kaye Thermal Validation	SGX Sensortech Gas	Piher Sensing Systems Position, Speed, Current	Wilcoxon Sensing Technologies Vibration	Piezo Technologies Ultrasonic	i2s Pressure & Temperature	All Sensors Ultra Low Pressure	SSI Technologies Level, Concentration, Speed & Pressure	Exa Thermometrics Temperature	PCB Piezotronics Vibration, Pressure, Force & Acoustics	Endevco Vibration, Pressure & MEMS	Temposonics Position, Velocity, Level
Aerospace (Commercial)	•		•			•	•				•	•	•	•	•	•
Agriculture	•	•		•		•	•			•	•	•	•	•		•
Air Quality (Indoor)	•	•	•	•		•	•	•			•	•	•	•		
Automation	•	•					•	•			•		•	•		•
AUTOMOTIVE	•	•	•			•	•			•		•	•	•	•	•
After-Treatment	•												•			
Cabin Comfort	•	•	•			•	•						•	•		•
Engine Management	•		•							•		•	•			
Fuel Handling System	•		•							•			•			•
HVAC	•	•				•	•			•			•			
Powertrain	•		•				•			•			•	•		
Safety Systems	•	•	•			•	•			•		•	•		•	•
Construction & Restoration				•								•		•		•
Electrification (EV/HEV)	•	•	•			•	•			•		•	•	•	•	•
Energy	•					•		•	•		•		•	•		•
Environmental Monitoring					•	•					•					•
Heavy Vehicle & Off-Road (HVOR)	•		•			•	•			•		•	•	•	•	•
HVACR	•	•	•			•	•	•		•	•	•	•	•		
Industrial	•	•	•	•		•	•	•		•	•	•	•	•		•
Marine	•					•	•	•			•	•		•		•
Medical	•	•	•		•	•	•		•		•	•				•
Military	•		•			•		•	•		•	•		•	•	•
Non-Destructive Testing (NDT)									•							
Oil & Gas	•		•			•	•	•	•		•	•	•	•		•
Pharmaceutical & Biotech					•	•					•	•		•		•
Process Control	•	•	•			•	•	•		•	•	•	•	•		•
Railway	•					•		•			•	•	•	•	•	•
Thermal Validation					•											



www.amphenolsensors.com

© 2022 Amphenol Corporation. All Rights Reserved. Specifications are subject to change without notice.

Other company names and product names used in this document are the registered trademarks of their respective owners.